

THE SLINGSBY T67M-Mk II

PILOTS NOTES

incorporating the CAA approved flight manual

Registration

Constructors No. 2047



Copyright c 1985 Slingsby Aviation PLC.

First published in Great Britain by Slingsby Aviation PLC 1985

Published & printed in Great Britain by Slingsby Aviation PLC.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Nothing in this Manual must be taken as superseding the Legislation, Rules Regulations, Procedures and Information contained in the Air Navigation Order, the Air Navigation (General) Regulations, Rules of the Air and Air Traffic Control Regulations, the UK Air Pilot, NOTAMS or aeronautical Information Circulars.



PILOTS NOTES - SLINGSBY FIREFLY T67M-MKII

CONTENTS

		· · · · · · · · · · · · · · · · · · ·
Section (
Contents Notes to Index and Amendmen	Read Read Read t Hig	ders cord of Amendments ghlights ciated Publications
Section	1	Leading Particulars and Dimensions
Section	2	Limitations and Placards
Section	3	Normal Procedures
Section	4	Emergency Procedures
Section	5	Performance and Flight Planning
Section	6	Systems Layout, Description and Use
Section	7	Handling
Section	8	Centre of Gravity Computer and Illustrations
Section	9	Supplements

0-3 0-5 0-9

0-11 0-13



P.O-4 CAA Approved November 1985 TP.T67M-MkII/FM



NOTICE TO READERS

Introduction

1. This manual is produced by Slingsby Aviation PLC and incorporates the CAA approved flight manual; it combines all airframe, engine, propeller, systems and handling information necessary for the operation of the Firefly. The more detailed information necessary for the maintenance of the aircraft is contained in the relevant maker's publications listed on page 0-13. Sections 1 to 5 and the CAA Supplements form the Flight Manual and carry CAA approval. Where information is not subject to CAA approval within these sections the words CAA Approved will be omitted from the page reference.

Statement of Initial Certification

2.	This manual Requirements	complies where req	uired				-1 ///	(/	
				Signed			T. ILLL	Q	
				Date	• • • •	2.	April	L. 1.9.	95.
		CA	A Approv	val No		DAI	2	243.	14.6

Authority of this Manual

3. This manual forms part of the UK CAA documentation for the aircraft shown below and incorporates the CAA approved Aircraft Flight Manual at Section 1 to 5 and Supplements: the limitations listed in Section 2 must be observed as must any further limitations in the CAA Supplements at the end of the manual.

Registration

Constructors Serial Number :

< >

Check Lists

4. The limitations, checks and emergencies are laid out in Sections 2,3 and 4; those to which reference might be required during aircraft operation are also laid out in the Flight Reference Cards.



Amendments

- 5. The amendment service consists of Permanent Amendments and Amendment Highlights (obtainable from Slingsby Aviation PLC) as follows:
 - a) Amendments will be issued as necessary and will be consecutively numbered: They will be issued as replacement sheets where practicable and will have the amendment list number and date presented on it. Where amendments contain significant additions or alterations to the text, these will be marked > < and where text has been removed will be marked < > .
 - b) Amendment Highlights Where amendments contain significant changes to operating information this will be summarized on an Amendments Highlight sheet which will come with the amendment. A complete new Amendments Highlight sheet will be issued with each amendment.

Adherence to Procedures

6. The procedures outlined in this manual form the basis of good operating procedures but consideration of airmanship may, on occasions, dictate other courses of action.

Convention in the Text

- 7. When numbers appear in brackets in the text they refer to the key in the fold-out illustrations in Section 8.
- 8. When reference is made to left and right, fore and aft, or clockwise and anti-clockwise, these directions are invariably intended to represent directions as seen by a pilot correctly seated in the aircraft.
- 9. All gauged or measured quantities quoted in the text are indicated values unless otherwise stated.
- 10. Warnings are inserted in the text only when they contain information of particular safety significance which might not be evident to an operator unfamiliar with the aircraft type and design.
- 11. Each page of this manual bears a section and page number, a document number and a date of issue. The pages of any part of the manual can be checked by referring to the list of contents for each chapter which lists the first and last effective page for each chapter and section.



Supplements

Where different options exist for the fitting or where additional or modified equipment may be fitted, no standard chapter can be incorporated in the manual. Information on all variable-standard or non-standard equipment is thus issued in an appropriate supplement; this is to be incorporated in Section 9 of this manual and its inclusion recorded in the supplement record at the beginning of Section 9.





INDEX AND RECORD OF AMENDMENTS ISSUED BY THE CONSTRUCTOR

Amendments

Amendment List No:	Date Issued	Date Incorporated	Signature
1	July 86	at issue	
2	April 87		
3	May 87	••	
4	Sept 87	1.	
5	Nov 87	"	CBBrunan
6	July 88	"	
7	Oct 88	4	
8	Nov 88	The state of the s	
9	Feb 90	· ·	,
10	Sept 91	· J	GBBack
11	Judy 93	Nov 93	JAN .
12	April 95	JONE 95	Mall C
13	FEBRUARY 1997	MARCH 25/97 (While_
14	JULY 1997	22/9/97 (
15	NOVENBER 99	15/2 pecs ?	Alle
16			
17			
18			
19			
20			



P.O-10 CAA Approved November 1985 TP.T67M-MkII/FM



AMENDMENT HIGHLIGHTS

A complete new sheet will be issued with each amendment list; the previous 2 permanent amendment lists will be retained.

Page(s) Amendment Subject List No: 0-11 (this page) Amendment Highlights 15 Gel Type Battery RG24-11M Section 9 Contents P.G-1

This amendment has been checked for technical content.

Tech Pubs (DKm.

Design Date 6/12/99

Date 3 Doc99

Statement of Approval

This amendment is approved by the United Kingdom Civil Aviation Authority

Date 05/01/00



P.O-12 CAA Approved November 1985 TP.T67M-MkII/FM

AMENDMENT HIGHLIGHTS

A complete new sheet will be issued with each amendment list; the previous 2 permanent amendment lists will be retained.

Amendment List No:	Subject	Page(s)
14	Amendment Highlights Record of Temporary Amendment Leaflets Paint restrictions (Mod 734B/D) Mod 734B/D information added """"""""""""""""""""""""""""""""""	(this page) (following page 0-9) 1-1 2-4 2-6 2-7 2-8 3-1 3-10 6-18 6-32 6-33 8-7D/8D 8-7E/8E Section 9 contents F-1 F-2
		F-3/4

<u>Note</u>

Only aircraft having Mod 734B/D will be supplied with the actual supplement pages (F-1 to F-3/4).

This amendment has been checked for technical content.						
Tech Pubs OBrunto	Date 24 .7.97.	ے Design	for ll	Date 24.7.97		
Statement of Approval This amendment is approved by the United Kingdom Civil Aviation Authority Signed						



AMENDMENT HIGHLIGHTS

A complete new sheet will be issued with each amendment list; the previous 2 permanent amendment lists will be retained.

Amendment List No:

Subject

Page(s)

13

Winterisation kit Mod 693

Section 9 Contents E-1/2

<u>Note</u>

Only aircraft having Mod 693 will be supplied with the actual supplement page (E-1/2).

This amendment has bee	en checked for	technic	cal content.	
Tech Pubs Brutan	Date 14/2/97			Date 14 Feb 57

 ${\bf Statement\ of\ Approval} \\ {\bf This\ amendment\ is\ approved\ by\ the\ United\ Kingdom\ Civil\ Aviation\ Authority}}$

Date . Zoth February 1997.





RECORD OF TEMPORARY AMENDMENT LEAFLETS (TAL)

TAL	CONTENT	DATE RECEIVED	DELETED BY AMENDMENT
1A	Temporary performance figures Post Mod 321 - AUW increased to 2100 lb (953 kg)		AL8
2	Temporary limitations for Post Mod 177B and 272B aircraft.		Mod 366C
3	Temporary instructions for a King KCS 55A slaved compass system potential fault		Mod 417
4	Temporary limitations for aerobatics		Mod 567
5	Temporary performance figures Post Mod 537 - AUW increased to 2150 lb (975 kg)		AL12
6	Spinning - Incorrect Recovery		AL14
7	Flight in Forecast Icing Conditions		AL14
8	3-4. TESTING THE ENCINECTAL 819 1022] 644. CANOPY (TAL 8192082)	16/7/91	
٩	3.2.2. STARTING THE ENGINE + AFTER START CHECKS. 3.11.2 STOPPING THE ENGINE 2.5.5 LIMITATIONS FOR AEROBATICS	MAY 04 Clamb	-
10 (PAGE 112	OAT/STRUCTURAL TEMPERATURE GAUGE	JANJOS	
100	2.7.4. GEOGRAPHICAL RESTRICTION	JAN 109	
Y Pack 9	VSCOTION 9 SUPPLEMENTS	Okemb	
10 (PAGES	SUPPLÉMENT F SPLOTURAL TEMP LIMITATA	NS Olinh	
I HUE	HOUGHEN & LAKE & G.O. LAKELS	1	
10 (PAGER	SECTION 3 PARAGRAPH 3.1.1 INITIAL CO	K. YENLER	





LIST OF ASSOCIATED PUBLICATIONS

ENGINE - AVCO LYCOMING AEIO-320 Series Operation Manual.

PROPELLER - PROPELLERWERK HOFFMANN HO-V72 Instruction Manual.

RADIOS - Communications }

Handbooks relevant to make
Navigation }

